

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TARA CLEAN
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaner
Degreaser.
Stain-remover

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GERFLOR
Zone Industrielle - Chemin du Bois des Lots
26130 SAINT PAUL TROIS CHATEAUX - FRANCE
T 04 75 50 68 68 - F 04 75 50 69 94

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229
Eye Irrit. 2 H319
STOT SE 3 H336

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger
Contains : Ethyl acetate

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing spray. P280 - Wear eye protection, face protection. P312 - Call a POISON CENTER, doctor if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

2.3. Other hazards

Other hazards which do not result in classification : None known.
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propellant gas			
Carbon dioxide substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	(CAS-No.) 124-38-9 (EC-No.) 204-696-9	1 – 5	Press. Gas (Comp.), H280
Propelled liquid			
(2-Methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2 (REACH-no) 01-2119450011-60	60 – 70	Not classified
Ethyl acetate substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46	20 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.
Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash with water and soap as a precaution. Obtain medical attention if irritation persists.

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Drowsiness. Giddiness.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide (CO ₂). Powder. Water spray.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Pressurized container. On heating there is a risk of bursting due to internal pressure build-up. Fire will produce dense black smoke. Vapour mixes readily with air, forming explosive mixtures. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.
Hazardous decomposition products in case of fire	: On combustion or on thermal decomposition (pyrolysis) releases : Carbon oxides (CO, CO ₂).

5.3. Advice for firefighters

Firefighting instructions	: Clear the danger area. Do not breathe fumes. Cool down the containers exposed to heat with a water spray. Do not dispose of fire-fighting water in the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ensure that there is a suitable ventilation system.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Avoid contact with eyes. Do not breathe aerosol. Remove all sources of ignition. In case of important spillage : Clear the danger area, Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment	: Take up liquid spill into a non combustible material e.g.: dry sand/earth/vermiculite kieselguhr, powdered limestone.
Methods for cleaning up	: Shovel into suitable and closed container for disposal.
Other information	: Dispose of contaminated materials in accordance with current regulations.

6.4. Reference to other sections

For further information refer to section 13.

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with eyes. Do not breathe spray. Smoking is forbidden. No flames, no sparks. Eliminate all sources of ignition. Access forbidden to unauthorised personnel. Use non-sparking tools. Material and equipment suitable for use under explosive conditions. Avoid high temperatures. Avoid the build-up of electrostatic charge. Do not spray on a naked flame or any incandescent material. Following use, do not pierce or burn the packaging, even if it is empty. Extraction to remove vapours at their source. Observe the label precautions.
- Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. If on skin, take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Prevent unauthorised access. Store in a cool, well-ventilated place.
- Incompatible materials : Oxidation agents. Strong acids. Alkalis.
- Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.
- Special rules on packaging : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethyl acetate (141-78-6)	
Ireland - Occupational Exposure Limits	
Local name	Ethyl acetate
OEL TWA [1]	734 mg/m ³
OEL TWA [2]	200 ppm
OEL STEL	1468 mg/m ³
OEL STEL [ppm]	400 ppm
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
Malta - Occupational Exposure Limits	
Local name	Ethyl acetate
OEL TWA	734 mg/m ³
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m ³
OEL STEL [ppm]	400 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)

(2-Methoxymethylethoxy)propanol (34590-94-8)

Ireland - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]
OEL TWA [1]	308 mg/m ³

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(2-Methoxymethylethoxy)propanol (34590-94-8)	
OEL TWA [2]	50 ppm
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
Malta - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-propanol
OEL TWA	308 mg/m ³
OEL TWA [ppm]	50 ppm
Remark (MT)	Skin # Ġilda
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)

Carbon dioxide (124-38-9)	
Ireland - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA [1]	9000 mg/m ³
OEL TWA [2]	5000 ppm
OEL STEL	27000 mg/m ³
OEL STEL [ppm]	15000 ppm
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
Malta - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
OEL TWA [ppm]	5000 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Extraction to remove vapours at their source.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection:

Safety glasses with side shields. If there is a risk of liquid being splashed : Face shield

8.2.2.2. Skin protection

Skin and body protection:

Antistatic clothing. If there is a risk of liquid being splashed : Chemically impervious to liquids protective clothing (type 3) according to standard NF EN14605. If there is a risk of splashes : Chemically protective clothing (type 6) according to standard NF EN13034

Hand protection:

Antistatic gloves. Nitrile-rubber protective gloves. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In the event of exposure to high concentrations : Dust/aerosol mask with filter type P1

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Appearance	: Fluid. Aerosol.
Odour	: Solvent.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -105 °C (Propelled liquid)
Boiling point	: Not applicable
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Explosive limits	: Not available
Lower explosive limit (LEL)	: 0.6 vol %
Upper explosive limit (UEL)	: 12 vol %
Flash point	: < 21 °C (Propelled liquid)
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not applicable
pH	: 7 (Propelled liquid)
Viscosity, kinematic	: 3 (2 – 3) mm ² /s (Propelled liquid)
Solubility	: Water: partly miscible Organic solvent: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not applicable
Vapour pressure at 50 °C	: Not available
Density	: 0.9482 g/cm ³ (Propelled liquid)
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 95

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

To our knowledge, the product does not present any particular risk.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed. Pressurized container. Heating will cause a rise in pressure with a risk of bursting.

10.4. Conditions to avoid

Avoid the build-up of electrostatic charge. No flames, no sparks. Eliminate all sources of ignition. Do not expose to heat.

10.5. Incompatible materials

Oxidation agents. Acids. Alkalis.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Ethyl acetate (141-78-6)

LD50 dermal rabbit	> 20000 mg/kg
--------------------	---------------

(2-Methoxymethylethoxy)propanol (34590-94-8)

LD50 oral rat	> 5000 mg/kg (equivalent or similar to OECD Guideline 401)
---------------	--

LD50 dermal rabbit	9510 mg/kg (equivalent or similar to OECD Guideline 402)
--------------------	--

LC50 Inhalation - Rat (Vapours)	3404.47 mg/l/4h
---------------------------------	-----------------

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 7 (Propelled liquid)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7 (Propelled liquid)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.

Ethyl acetate (141-78-6)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
------------------------	---

(2-Methoxymethylethoxy)propanol (34590-94-8)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEC (inhalation, rat, vapour, 90 days)	1.21 mg/l

Aspiration hazard	: Not classified (Technical impossibility to obtain the data)
-------------------	---

TARA CLEAN

Vaporizer	Aerosol
Viscosity, kinematic	3 (2 – 3) mm ² /s (Propelled liquid)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Presents no particular risk to the environment, provided the disposal requirements (see section 13) and national or local regulations are complied with.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Ethyl acetate (141-78-6)

LC50 fish	230 mg/l/96h (Pimephales promelas)
EC50 72h - Algae [1]	5600 mg/l (Scenedesmus subspicatus) (48h)
NOEC chronic fish	< 9.65 mg/l (32 days)
NOEC chronic crustacea	2.4 mg/l/ 21 days (Daphnia magna)(OECD 211 method)
NOEC chronic algae	> 100 mg/l/72 h (Desmodesmus subspicatus)(OECD 201 method)

(2-Methoxymethylethoxy)propanol (34590-94-8)

LC50 fish	> 10000 mg/l/96h (Pimephales promelas)
EC50 Daphnia	1919 mg/l/48 h (Daphnia magna) (equivalent or similar to OECD Guideline 202)
ErC50 algae	> 969 mg/l/96h (Pseudokirchneriella subcapitata) (OECD 201 method)
NOEC chronic crustacea	≥ 0.5 mg/l (21 days) (Daphnia magna) (equivalent or similar to OECD Guideline 211)
NOEC chronic algae	969 mg/l/96h (OECD 201 method)

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

TARA CLEAN

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Ethyl acetate (141-78-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	94 % 28 days
----------------	--------------

(2-Methoxymethylethoxy)propanol (34590-94-8)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	75 % (28 days)
----------------	----------------

12.3. Bioaccumulative potential

TARA CLEAN

Bioaccumulative potential	Not bioaccumulable.
---------------------------	---------------------

Ethyl acetate (141-78-6)

Bioconcentration factor (BCF REACH)	30
-------------------------------------	----

Partition coefficient n-octanol/water (Log Pow)	0.68
---	------

(2-Methoxymethylethoxy)propanol (34590-94-8)

Partition coefficient n-octanol/water (Log Pow)	0.004
---	-------

12.4. Mobility in soil

(2-Methoxymethylethoxy)propanol (34590-94-8)

Partition coefficient n-octanol/water (Log Koc)	0.28
---	------

12.5. Results of PBT and vPvB assessment

TARA CLEAN

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

(2-Methoxymethylethoxy)propanol (34590-94-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--	---

Ethyl acetate (141-78-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------------	---

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Do not allow into drains or water courses. Recycle or dispose of in compliance with current legislation.
- Additional information : Following use, do not pierce or burn the packaging, even if it is empty. Empty the packaging completely prior to disposal. Keep the label on the container. Destroy at an authorised site.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name		
AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)		
2.1	2.1	2.1
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No

14.6. Special precautions for user

Overland transport

- Classification code (ADR) : 5F
- Special provisions (ADR) : 190, 327, 344, 625
- Limited quantities (ADR) : 1I
- Excepted quantities (ADR) : E0
- Packing instructions (ADR) : P207, LP200
- Special packing provisions (ADR) : PP87, RR6, L2
- Mixed packing provisions (ADR) : MP9
- Transport category (ADR) : 2
- Special provisions for carriage - Packages (ADR) : V14
- Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12
- Special provisions for carriage - Operation (ADR) : S2
- Tunnel restriction code (ADR) : D

Transport by sea

- Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959
- Packing instructions (IMDG) : P207, LP200
- Special packing provisions (IMDG) : PP87, L2
- EmS-No. (Fire) : F-D
- EmS-No. (Spillage) : S-U
- Stowage category (IMDG) : None
- Stowage and handling (IMDG) : SW1, SW22
- Segregation (IMDG) : SG69
- MFAG-No : 126

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

This sheet was updated (refer to the date at the top of this page). This sheet has been revised completely (changes were not marked).

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
CAS	Chemical Abstracts Service (division of the American Chemical Society)

Data sources : ECHA - European Chemical Agency.

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2

TARA CLEAN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Press. Gas (Comp.)	Gases under pressure : Compressed gas
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aerosol 1	H222;H229	On basis of test data
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.